

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	246	jagannathan.xa.	USPAT	OR	OFF	2005/02/01 13:52
L2	48	jagannathan-melanie.xa.	USPAT	OR	OFF	2005/02/01 14:12
L3	2	370/230.ccls. and ((bandwidth with available) same call) and (route with pstn)	USPAT	OR	OFF	2005/02/01 14:12
L4	38	370/230.ccls. and ((bandwidth with available) same call)	USPAT	OR	OFF	2005/02/01 14:12
L5	23	370/235.ccls. and ((bandwidth with available) same call)	USPAT	OR	OFF	2005/02/01 14:12
L6	2	370/248.ccls. and ((bandwidth with available) same call)	USPAT	OR	OFF	2005/02/01 14:12
L7	11	370/237.ccls. and ((bandwidth with available) same call)	USPAT	OR	OFF	2005/02/01 14:13
L8	112	370/352.ccls. and ((bandwidth with available) same call)	USPAT	OR	OFF	2005/02/01 14:13
L9	139	370/352-356.ccls. and ((bandwidth with available) same call)	USPAT	OR	OFF	2005/02/01 14:13
L10	29	370/389.ccls. and ((bandwidth with available) same call)	USPAT	OR	OFF	2005/02/01 14:13
L11	17	370/400.ccls. and ((bandwidth with available) same call)	USPAT	OR	OFF	2005/02/01 14:13
L12	83	370/468.ccls. and ((bandwidth with available) same call)	USPAT	OR	OFF	2005/02/01 14:13
L13	14	709/228-229.ccls. and ((bandwidth with available) same call)	USPAT	OR	OFF	2005/02/01 14:13
L14	10	379/93.09.ccls. and ((bandwidth with available) same call)	USPAT	OR	OFF	2005/02/01 14:13
L15	0	379/213.01.ccls. and ((bandwidth with available) same call)	USPAT	OR	OFF	2005/02/01 14:13
S1	1	(voip and ((available or sufficient or necessary) with bandwidth) and pstn and hold and (ring with back)) and (@Ad<="19991031")	USPAT	OR	OFF	2004/03/23 14:55
S2	3	voip and ((available or sufficient or necessary) with bandwidth) and pstn and hold and (ring with back)	USPAT	OR	OFF	2004/03/23 14:35
S3	44	(call with setup) and ((available or sufficient or necessary) with bandwidth) and pstn and hold and (ring with back)	USPAT	OR	OFF	2004/03/23 14:55

S4	40	((call with setup) and ((available or sufficient or necessary) with bandwidth) and pstn and hold and (ring with back)) and (@Ad<="19991031")	USPAT	OR	OFF	2004/03/23 14:35
S5	485	call and setup and ((available or sufficient or necessary) with bandwidth) and pstn	USPAT	OR	OFF	2004/03/23 14:42
S6	182	call and setup and ((available or sufficient or necessary) with bandwidth) and pstn and hold	USPAT	OR	OFF	2004/03/23 14:43
S7	0	call and setup and ((available or sufficient or necessary) with bandwidth with yes with no) and pstn	USPAT	OR	OFF	2004/03/23 14:42
S8	0	call and setup and ((available or sufficient or necessary) with bandwidth with "yes" with "no") and pstn	USPAT	OR	OFF	2004/03/23 14:43
S9	13	call and setup and (((available or sufficient or necessary) with bandwidth) same alternate) and pstn	USPAT	OR	OFF	2004/03/23 14:52
S10	3	(call and setup and (((available or sufficient or necessary) with bandwidth) same alternate) and pstn) and hold	USPAT	OR	OFF	2004/03/23 14:46
S11	1	"6574216".pn.	USPAT	OR	OFF	2004/03/23 14:52
S12	91	(call with setup) and bandwidth and hold and (ring with back)	USPAT	OR	OFF	2004/03/23 15:03
S13	74	((call with setup) and bandwidth and hold and (ring with back)) and (@Ad<="19991031")	USPAT	OR	OFF	2004/03/23 14:57
S14	18	(call with setup) and (bandwidth same hold and ring)	USPAT	OR	OFF	2004/03/23 14:57
S15	15	((call with setup) and (bandwidth same hold and ring)) and (@Ad<="19991031")	USPAT	OR	OFF	2004/03/23 15:14
S16	572	(call with setup) and bandwidth and hold	USPAT	OR	OFF	2004/03/23 15:16
S17	76	(call with setup) and (bandwidth same hold)	USPAT	OR	OFF	2004/03/23 15:14
S18	70	((call with setup) and (bandwidth same hold)) and (@Ad<="19991031")	USPAT	OR	OFF	2004/03/23 15:17
S19	207	internet same bandwidth same pstn	USPAT	OR	OFF	2004/03/23 15:16

S20	36	internet same ((available or necessary) with bandwidth) same pstn	USPAT	OR	OFF	2004/03/23 15:17
S21	31	((internet same ((available or necessary) with bandwidth) same pstn) and (@Ad<="19991031"))	USPAT	OR	OFF	2004/03/29 12:57
S22	1390	((available or necessary) with bandwidth) and hold and (backup or alternate) and (@Ad<="19991031")	USPAT	OR	OFF	2004/03/29 12:31
S23	689	((available or necessary) with bandwidth) and hold and (backup or alternate) and call and (@Ad<="19991031")	USPAT	OR	OFF	2004/03/29 12:32
S24	291	((available or necessary) with bandwidth) and hold and (backup or alternate) and call and ip and (@Ad<="19991031")	USPAT	OR	OFF	2004/03/29 12:33
S25	0	((available or necessary) with bandwidth) and "on hold" and (backup or alternate) and call and ip and (@Ad<="19991031")	USPAT	OR	OFF	2004/03/29 12:35
S26	465	((available or necessary) with bandwidth) and options and call and ip and (@Ad<="19991031")	USPAT	OR	OFF	2004/03/29 12:35
S27	13	((available or necessary) with bandwidth) and (options with hold) and call and ip and (@Ad<="19991031")	USPAT	OR	OFF	2004/03/29 13:56
S28	0	"6574216".pn. and bandwidth	USPAT	OR	OFF	2004/03/29 12:57
S29	227	((available or necessary) with bandwidth) same first and second) and call and ip and (@Ad<="19991031")	USPAT	OR	OFF	2004/03/29 13:56
S30	1	((available or necessary) with bandwidth) same (first with second with links)) and call and ip and (@Ad<="19991031")	USPAT	OR	OFF	2004/03/29 13:58
S31	305	((available or necessary) with bandwidth) same (links or paths or channels)) and call and ip and (@Ad<="19991031")	USPAT	OR	OFF	2004/03/29 13:59
S32	80	((available or necessary) with bandwidth) same (links or paths or channels)) and call and ip and (@Ad<="19991031") and pstn	USPAT	OR	OFF	2004/03/29 14:03

S33	3	((available or necessary) with bandwidth) same (links or paths or channels) same (backup or alternate)) and call and ip and (@Ad<="19991031") and pstn	USPAT	OR	OFF	2004/03/29 14:04
S34	11	((available or necessary) with bandwidth) same (links or paths or channels) same (backup or alternate)) and call and ip and (@Ad<="19991031")	USPAT	OR	OFF	2004/03/29 14:04
S35	3	sip and fork\$ and "370"/\$.ccls.	USPAT	OR	OFF	2004/03/30 13:52
S36	1	"6452922".pn.	USPAT	OR	OFF	2004/03/30 13:52
S37	1	"6330316".pn.	USPAT	OR	OFF	2004/03/30 13:53
S38	1	"6324280".pn.	USPAT	OR	OFF	2004/03/30 13:53
S39	1	(bandwidth same pstn same available) and (call same hold) and ringback	USPAT	OR	OFF	2005/01/25 14:18
S40	37	(bandwidth same pstn same available) and (call same hold)	USPAT	OR	OFF	2005/01/25 14:23
S41	33	S40 and (@AD<="20001031")	USPAT	OR	OFF	2005/01/25 14:24
S42	116	(bandwidth same pstn) and (call same hold)	USPAT	OR	OFF	2005/01/25 14:23
S43	3	(bandwidth same pstn same call same hold)	USPAT	OR	OFF	2005/01/25 14:24
S44	116	(bandwidth same pstn) and (call same hold)	USPAT	OR	OFF	2005/01/25 14:32
S45	14	(bandwidth same route same pstn) and (call same hold)	USPAT	OR	OFF	2005/01/25 14:24
S46	13	S45 and (@AD<="20001031")	USPAT	OR	OFF	2005/01/25 14:26
S47	108	S44 and (@AD<="20001031")	USPAT	OR	OFF	2005/01/25 14:49
S48	184	(bandwidth same available) and pstn and (call same hold)	USPAT	OR	OFF	2005/01/25 14:33
S49	166	S48 and (@AD<="20001031")	USPAT	OR	OFF	2005/01/25 14:49
S50	359	(voice with IP) and pstn and hold	USPAT	OR	OFF	2005/01/25 14:49
S51	81	(voice with IP) and (bandwidth same pstn) and hold	USPAT	OR	OFF	2005/01/25 14:51
S52	74	S51 and (@AD<="20001031")	USPAT	OR	OFF	2005/01/25 14:53
S53	20	(voice with IP) and (bandwidth same available same pstn) and hold	USPAT	OR	OFF	2005/01/25 14:53
S54	18	S53 and (@AD<="20001031")	USPAT	OR	OFF	2005/01/25 17:05
S55	58	(bandwidth same available same pstn) and hold	USPAT	OR	OFF	2005/01/25 14:54
S56	53	S55 and (@AD<="20001031")	USPAT	OR	OFF	2005/01/25 15:03

S57	0	(bandwidth same reroute same pstn) and hold	USPAT	OR	OFF	2005/01/25 14:54
S58	6	(reroute same pstn) and hold	USPAT	OR	OFF	2005/01/25 14:56
S59	1	"6363065".pn.	USPAT	OR	OFF	2005/01/25 14:56
S60	1	"6282192".pn.	USPAT	OR	OFF	2005/01/25 14:57
S61	0	"6282192".pn. and hold	USPAT	OR	OFF	2005/01/25 14:57
S62	1	"6065653".pn.	USPAT	OR	OFF	2005/01/25 14:57
S63	1	"6064653".pn.	USPAT	OR	OFF	2005/01/25 14:58
S64	0	"6064653".pn. and hold	USPAT	OR	OFF	2005/01/25 14:58
S65	1	"6047060".pn.	USPAT	OR	OFF	2005/01/25 14:59
S66	1	"5995839".pn.	USPAT	OR	OFF	2005/01/25 14:59
S67	1	"5970065".pn.	USPAT	OR	OFF	2005/01/25 15:00
S68	1	"5903558".pn.	USPAT	OR	OFF	2005/01/25 15:01
S69	1	"5898673".pn.	USPAT	OR	OFF	2005/01/25 15:01
S70	1	"5889774".pn.	USPAT	OR	OFF	2005/01/25 15:02
S71	1	"5838665".pn.	USPAT	OR	OFF	2005/01/25 15:02
S72	226	bandwidth same hold same available	USPAT	OR	OFF	2005/01/25 15:03
S73	17	pstn and (bandwidth same hold same available)	USPAT	OR	OFF	2005/01/25 15:11
S74	15	S73 and (@AD<="20001031")	USPAT	OR	OFF	2005/01/25 15:21
S75	335	(quality same service same pstn)	USPAT	OR	OFF	2005/01/25 15:20
S76	29	(bandwidth same (availability or available) same wait) and pstn	USPAT	OR	OFF	2005/01/25 15:22
S77	26	S76 and (@AD<="20001031")	USPAT	OR	OFF	2005/01/25 15:24
S78	17	(bandwidth same (availability or available) same hold) and pstn	USPAT	OR	OFF	2005/01/25 15:22
S79	15	S78 and (@AD<="20001031")	USPAT	OR	OFF	2005/01/25 15:23
S80	476	(voice with iP) and (quality with service) and pstn	USPAT	OR	OFF	2005/01/25 15:24
S81	119	(voice with iP) and ((quality with service) same pstn)	USPAT	OR	OFF	2005/01/25 15:24
S82	104	S81 and (@AD<="20001031")	USPAT	OR	OFF	2005/01/26 11:35
S83	1	"5999612".pn.	USPAT	OR	OFF	2005/01/25 17:04
S84	27	pstn same route same packet same (bandwidth or resources)	USPAT	OR	OFF	2005/01/25 17:08
S85	25	S84 and (@AD<="20001031")	USPAT	OR	OFF	2005/01/26 08:34
S86	234	pstn same packet same (bandwidth or resources)	USPAT	OR	OFF	2005/01/25 17:08
S87	52	pstn same packet same (bandwidth or resources) same (available or availability)	USPAT	OR	OFF	2005/01/25 17:08

S88	44	S87 and (@AD<="20001031")	USPAT	OR	OFF	2005/01/25 17:17
S89	96	379/221.01 and pstn and packets	USPAT	OR	OFF	2005/01/25 17:17
S90	75	S89 and (@AD<="20001031")	USPAT	OR	OFF	2005/01/25 17:17
S91	29	S90 and bandwidth	USPAT	OR	OFF	2005/01/25 17:17
S92	25	(call with setup) and (bandwidth same hold and ring)	USPAT	OR	OFF	2005/01/26 08:34
S93	23	S92 and (@AD<="20001031")	USPAT	OR	OFF	2005/01/26 11:34
S94	58	"379"/\$ and (alternate with network) and hold and ringback and call	USPAT	OR	OFF	2005/01/26 11:40
S95	58	S94 and (@AD<="20001031")	USPAT	OR	OFF	2005/01/26 11:40
S96	49	"379"/\$ and (bandwidth with available) and hold and ringback and call	USPAT	OR	OFF	2005/01/26 11:40
S97	46	S96 and (@AD<="20001031")	USPAT	OR	OFF	2005/01/26 14:21
S98	155	(monitor same bandwidth) and pstn and call	USPAT	OR	OFF	2005/01/26 12:11
S99	141	S98 and (@AD<="20001031")	USPAT	OR	OFF	2005/01/26 12:28
S100	0	S99 and (hold or wait) and (ringback or "ring-back")	USPAT	OR	OFF	2005/01/26 12:11
S101	76	S99 and (hold or wait)	USPAT	OR	OFF	2005/01/26 12:12
S102	0	S99 and (hold and ringback)	USPAT	OR	OFF	2005/01/26 12:12
S103	4	S99 and ringback	USPAT	OR	OFF	2005/01/26 12:27
S104	95	voip and (bandwidth same pstn)	USPAT	OR	OFF	2005/01/26 12:27
S105	82	S104 and (@AD<="20001031")	USPAT	OR	OFF	2005/01/26 14:06
S106	4	S105 and (pstn same option)	USPAT	OR	OFF	2005/01/26 14:03
S107	46	S105 and hold	USPAT	OR	OFF	2005/01/26 14:04
S108	35	S105 and (call with setup) and hold	USPAT	OR	OFF	2005/01/26 14:06
S109	12	((call with setup) same bandwidth same (hold or store))	USPAT	OR	OFF	2005/01/26 14:07
S110	12	S109 and (@AD<="20001031")	USPAT	OR	OFF	2005/01/26 14:08
S111	14	((call with setup) same bandwidth same monitor)	USPAT	OR	OFF	2005/01/26 14:07
S112	13	S111 and (@AD<="20001031")	USPAT	OR	OFF	2005/02/01 13:52

S11 3	4	S112 and pstn	USPAT	OR	OFF	2005/01/26 14:15
S11 4	54	((bandwidth with available) same call) and (route with pstn)	USPAT	OR	OFF	2005/02/01 14:12
S11 5	49	S114 and (@AD<="20001031")	USPAT	OR	OFF	2005/01/26 14:21